
FNS9


Foot shear



Foot shear for removing sheep legs

- Practical thanks to smaller handle diameter
- Suitable for smaller hands
- Perfect force distribution
- Excellent cut






	3,9 kg	8,6 lbs
	90 mm	3 1/2 inch
	6 bar	87 psi
	180 bar	2600 psi
	pneumatic/ hydraulic	

FS6

Foot shear







Foot shear for removing sheep legs

- Practical thanks to smaller handle diameter
- Suitable for smaller hands
- Perfect force distribution
- Excellent cut


	3,9 kg	8,5 lbs
	65 mm	2,5 inch
	4 bar	58 psi
	100 bar	1450 psi
	pneumatic/ hydraulic	

FNS9P

Foot and neck shear with pistol handle







Foot and neck shear for pigs and sheep in high throughput plants

- For severing the head joint and removing the feet of halved pigs and sows by an operator
- Suitable for smaller hands
- Reduces wrist ailments as the head joint no longer needs to be severed with a hand knife
- Pistol handle
- Also suitable for cutting the front feet of sows
- Perfect force distribution
- Excellent cut

	3,9 kg	8,6 lbs
	90 mm	3 1/2 inch
	6,5 bar	94 psi
	180 bar	2600 psi
	pneumatic/ hydraulic	


NS21

Neck shear



Hydraulic neck shear for pigs in high throughput plants

- Adjustable handle for better ergonomics
- Two-hand safety switch
- Excellent force distribution







	23 kg	51 lbs
	210 mm	8 1/2 inch
	6 bar	87 psi
	110 bar	1600 psi
	electric/ hydraulic	


NS26

Neck shear



Hydraulic neck shear for removing the neck of sows & boars in high throughput plants

- Adjustable handle for better ergonomics
- Two-hand safety switch
- Excellent force distribution







	27 kg	59 lbs
	265 mm	10 1/2 inch
	6 bar	87 psi
	110 bar	1600 psi
	electric/ hydraulic	


HLS12

Horn and leg shear



Horn and leg shear for industrial slaughter chains for cattle

- With one fixed and one moveable blade respectively
- Adjustable handle for better ergonomics
- Two-hand safety switch







	27 kg	60 lbs
	120 mm	4 1/2 inch
	3-8 bar	44-120 psi
	180 bar	2600 psi
	electric/ hydraulic	

LS15

Leg shear







Hydraulic leg shear for cattle and pigs in high throughput plants


- With two movable blades
- Two-hand safety switch
- Adjustable handles for better ergonomics


	21,6 kg	47,6 lbs
	150 mm	6 inch
	3-8 bar	44-120 psi
	180 bar	2600 psi
	electric/ hydraulic	

HDS15

Head dropper and general cutting shear







Hydraulic shear for high throughput plants:

- General cutting up of pigs and sows
- Severing of complete sheep and goat heads
- Single-hand operation

	5,8 kg	12,8 lbs
	150 mm	6 inch
	6 bar	87 psi
	180 bar	2600 psi
	electric/ hydraulic	